

V = viewed

all

S = scanned

	Ref #	Hits	Search Text
1	S1	26 V	(organ with donor) same database
2	S2	2250 S	genomic with database
3	S3	0	S2 with epidemiological
4	S4	6 V	S2 with patients
5	S5	2 V	"5970499".pn.
6	S6	2 U	"5809493".pn.
7	S7	48 V	biological with sample with database with (key or ID or identify or identifier)
8	S8	36 V	aggregat\$4 with (genomic or gene or biological) with data
9	S9	2244 S	(aggregat\$4 or comprehenisve or compar\$4) with (genomic or gene or biological) with data
10	S10	584 OS	S9 and ((drug or pharmacy or medicin\$4 or pharmaceutical\$4) with (discovery or research or trial or development))
11	S11	34 V	S9 same ((drug or pharmacy or medicin\$4 or pharmaceutical\$4) with (discovery or research or trial or development))
12	S12	18 V	"5935781"
13	S13	8 V	S12 and database
14	S14	1 V	"6985000"

	<b>DBs</b>
<b>1</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>2</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>3</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>4</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>5</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>6</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>7</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>8</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>9</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>10</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>11</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>12</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>13</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>14</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text
15	S15	0	"6984000"
16	S16	0	"6974000"
17	S17	0	"6964000"
18	S18	2 ✓	"6954000"
19	S19	1 ✓	"6961000"
20	S20	0	"6962000"
21	S21	2 ✓	"6368797" or "5991729" and (donor)
22	S22	0	("6368797" or "5991729") and (donor)
23	S23	2 ✓	"5991729.pn" or "6368797".pn.
24	S24	0	S23 and (donor\$4)
25	S25	187 S	database with longitudinal\$4
26	S26	64 ✓	donor with database with (organ or tissue or blood)
27	S27	9 ✓	S26 and ((drug or pharmaceutical or medicine) with (research or discovery))
28	S28	30 ✓	S26 and (antigen or antibody or HIV or cmv)

	<b>DBs</b>
<b>15</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>16</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>17</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>18</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>19</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>20</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>21</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>22</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>23</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>24</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>25</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>26</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>27</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>28</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text
29	S29	4008 S	(identif\$4 or locat\$4) with (patient or subject or person or candidate) with (trial or clinical or ((drug or medicine or pharmaceutical) near5 (trial or discovery or research)))
30	S30	11 V	S29 same (criteria) same (ID or identifier or key)
31	S31	10 V	clinical with trial with (genomic and proteomic)
32	S33	14 V	(clinical with trial) same (genomic and proteomic)
33	S32	135 V	(clinical with trial) and (genomic and proteomic)

	<b>DBs</b>
<b>29</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>30</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>31</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>32</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>33</b>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB